

## Specimen 2018

AQA

## Time allowed: 1 hour 45 minutes

#### Materials

For this paper you must have:

- a ruler
- a calculator.

#### Instructions

- Answer **all** questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.


#### Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.
- When answering questions 02.7, 10.4 and 11.2 you need to make sure that your answer:
  - is clear, logical, sensibly structured
  - fully meets the requirements of the question
  - shows that each separate point or step supports the overall answer.

#### Advice

In all calculations, show clearly how you work out your answer.

Please write clearly, in block capitals.					
Centre number					
orename(s)					
candidate signature					



01.2	Where does the p Tick <b>one</b> box.	oulmonary artery take blood to?	[1 mark]
	Brain		
	Liver		
	Lungs		
	Stomach		




**0 1** . **3** Circle a valve on **Figure 1**.

[1 mark]

## Question 1 continues on the next page

The coronary arteries supply blood to the heart.


Figure 2 shows two coronary arteries.



01.6	Suggest <b>two</b> risk factors for coronary heart disease. [2 r	marks]
	1	
	2	

Question 1 continues on the next page

**Figure 3** shows the percentages of adults in the UK who have coronary heart disease.



01.7

Calculate the difference in the percentage of male and female adults aged 65 and over who have coronary heart disease.

#### [1 mark]

%

[1 mark]

#### 7

## **0 1** . **8** Which is the correct conclusion for the data in **Figure 3**?

Tick one box.

Children do <b>not</b> suffer from coronary heart disease	
More males suffer from coronary heart disease than females	
More younger people suffer from coronary heart disease than older people	

Catalase is an enzyme.

0 2

Catalase controls the following reaction:


hydrogen peroxide ---- water + oxygen

A student did an investigation on catalase activity.

This is the method used.

- 1. Put 1 cm<sup>3</sup> hydrogen peroxide solution in a test tube.
- 2. Add 1  $\text{cm}^3$  of catalase solution.
  - Bubbles of oxygen are produced.
  - Bubbles cause foam to rise up the tube.
- 3. Measure the maximum height of the foam.

Figure 4 shows the experiment.





The experiment is carried out at 20 °C.

Table 1 shows some results from the investigation.

Temperature	Maximum height of foam in cm			
in °C	Test 1	Test 2	Test 3	Mean
10	1.3	1.1	0.9	1.1
20	0.0	3.3	3.1	3.2
30	5.2	5.0	5.3	5.2
40	4.2	3.5	4.4	4.0
50	2.1	1.9	2.3	2.1
60	0.0	0.0	0.0	0.0

02.1	] Why did the student carry out the experiment three times at each temperatu		
	Tick <b>one</b> box.		[1 mark]
	To make the experiment more accurate		
	To prove the experiment was correct		
	To show the experiment was more repeatable		
02.2	The student thought one result was an anomaly.		
	Circle the anomaly in <b>Table 1</b> .		[4 mont/]
			[1 mark]
02.3	What did the student do with the anomalous result?		[1 mark]
	Question 2 continues on the part r	220	
	Question 2 continues on the next p	aye	

02.4	Look at <b>Table 1</b> on <b>page 9</b> .	
	What conclusion can be made as the temperature increases?	
	Tick <b>one</b> box.	[1 mark]
	Decreases the rate of reaction up to 30 °C	
	Decreases the rate of reaction up to 40 °C	
	Increases the rate of reaction up to 30 °C	
	Increases the rate of reaction up to 40 °C	
02.5	At which temperature was catalase denatured?	
	Tick <b>one</b> box.	[1 mark]
	10 °C	
	30 °C	
	40 °C	
	60 °C	
02.6	The student thought the optimum temperature for catalase activity was betw 30 $^\circ$ C and 40 $^\circ$ C.	een
	How could the investigation be improved to find a more precise value for the optimum temperature?	•
	Tick <b>one</b> box.	
	Do the experiment at 70 °C and 80 °C	[1 mark]

Do the experiment at 30 °C, 35 °C and 40 °C


Use less hydrogen peroxide solution

Use more catalase solution

## **02**. **7** Amylase is the enzyme that controls the breakdown of starch to glucose.

Describe how the student could investigate the effect of pH on the breakdown of starch by amylase.

[4 marks]



03.4	What is the advantage of using the type of microscope you named in part <b>03</b>	.3? [1 mark]
	Tick <b>one</b> box.	[ i mark]
	Cheaper	
	Higher magnification	
	Lower resolution	
03.5	The cheek cell in <b>Figure 6</b> is magnified 250 times.	
	The width of the cell is shown by the line <b>D</b> to <b>E</b> .	
	Figure 6	
	Calculate the width of the cheek cell in micrometres ( $\mu$ m).	
	Complete the following steps.	3 marks]
	Measure the width of the cell using a ruler	mm
	Use the equation to work out the real width of the cell in mm:	
	real size = magnification	mm
	Convert mm to µm	µm
	Question 3 continues on the next page	

[1 mark]

## **0 3** . **6** A red blood cell is 8 $\mu$ m in diameter.

A bacterial cell is 40 times smaller.

Calculate the diameter of the bacterial cell.

Tick one box.






2.0 µm

20.0 µm

0	4	Microorganisms can cause disease.
---	---	-----------------------------------

## **0 4 . 1** Draw **one** line from each disease to the correct description.

[3 marks]



#### Question 4 continues on the next page

## **0 4 . 2** Gonorrhoea is a sexually transmitted disease.

A bacterium causes gonorrhoea.

What are the symptoms of gonorrhoea?

Tick **two** boxes.


Headache	
Pain when urinating	
Rash	
Vomiting	
Yellow discharge	

**Table 2** shows the number of people in the UK diagnosed with gonorrhoea in different years.

	Number of people diagnosed with gonorrhoea in thousands		
Year	Female	Male	
2005	5.0	12.5	
2007	5.0	12.5	
2009	5.5	12.0	
2011	6.0	14.0	
2013	7.5	22.0	

#### Table 2

[2 marks]



**0 4 . 4** Describe the patterns in the numbers of males and females with gonorrhoea from 2005 to 2013.

Use the data in Figure 7.

[3 marks]

#### Question 4 continues on the next page

## **04**. **5** Gonorrhoea is treated with an antibiotic.

HIV is another sexually transmitted disease.


Explain why prescribing an antibiotic will **not** cure HIV.


[2 marks]

0 5	Anaerobic respiration happens in muscle cells and yeast cells.	
	The equation describes anaerobic respiration in muscle cells.	
	glucose lactic acid	
05.1	How can you tell from the equation that this process is anaerobic?	[1 mark]
0 5 . 2	Exercise <b>cannot</b> be sustained when anaerobic respiration takes place in muscle cells.	
	Explain why.	[2 marks]

Question 5 continues on the next page

Figure 8 shows an experiment to investigate anaerobic respiration in yeast cells.








0 5 . 4	Describe how you could use tube <b>B</b> to measure the rate of the reaction in t	ube <b>A</b> . [2 marks]
0 5 . 5	Anaerobic respiration in yeast is also called fermentation.	
	Fermentation produces ethanol.	
	Give <b>one</b> use of fermentation in the food industry.	[1 mark]

There are no questions printed on this page

0 6	Plants have adaptations to help defend themselves and to help them survive.
	Figure 9 shows a nettle plant.



**06**. **1** Explain how the nettle is adapted for defence and protection.

[3 marks]


Question 6 continues on the next page

Witch hazel is another plant adapted for defence.

Witch hazel produces oil with antiseptic properties. The oil prevents bacteria from attacking the plant.

A student investigated how effective three different plant oils were at preventing the growth of bacteria.

Figure 10 shows the results.



**0 6 . 2** Which plant oil is the most effective at preventing the growth of bacteria?

Give a reason for your answer.

[2 marks]

Oil \_\_\_\_\_

Reason

#### **06**. **3** The student tested tea tree oil using the same method.

The results showed tea tree oil was the most effective at preventing bacterial growth.

The student concluded that tea tree oil could be used to treat bacterial infections instead of antibiotics.

Give **one** reason why this is **not** a valid conclusion.

[1 mark]

#### 26

## 0 7

After a meal rich in carbohydrates, the concentration of glucose in the small intestine changes.

**Table 3** shows the concentration of glucose at different distances along the small intestine.

Distance along the small intestine in cm	Concentration of glucose in mol dm <sup>-3</sup>	
100	50	
300	500	
500	250	
700	0	

#### Table 3


**0 7** . **1** At what distance along the small intestine is the glucose concentration highest? **[1 mark]** 

cm

## **0 7 . 2** Use the data in **Table 3** to plot a bar chart on **Figure 11**.

- Label the *y*-axis.
- Choose a suitable scale.

[4 marks]



### Figure 11

Question 7 continues on the next page

	Look at <b>Figure 11</b> on <b>page 27</b> .
07.3	Describe how the concentration of glucose changes as distance increases along the small intestine. [2 marks]
07.4	Explain why the concentration of glucose in the small intestine changes between 100 cm and 300 cm. [2 marks]

# **07. 5** Explain why the concentration of glucose in the small intestine changes between 300 cm and 700 cm.

[3 marks]


#### 30

### **0 8** To be healthy, plants need the right amount of mineral ions from the soil.

Figure 12 shows four plants.

The plants were grown in four different growing conditions:

- sunny area, with nitrate and magnesium added to the soil
- sunny area, with magnesium but no nitrate added to the soil
- sunny area, with nitrate but **no** magnesium added to the soil
- dark area, with nitrate and magnesium added to the soil.



08.1	Which plant was grown with no <b>nitrate</b> ?	[1 mark]
	Tick <b>one</b> box.	[1 mark]
0 8 . 2	Which plant was grown with no <b>magnesium</b> ?	[1 mark]
	Tick <b>one</b> box.	[1
	A B C D	

Figure 12

#### **0 8** . **3** Give **one** variable that was kept constant in this experiment.

#### [1 mark]

## 0 8 . 4

Plants need other minerals for healthy growth such as potassium ions and phosphate ions.

A farmer wanted to compare the percentage of minerals in two types of manure.

- Cow manure from her own farm.
- Chicken manure pellets she could buy.

**Table 4** shows data for each type of manure.

#### Table 4

	Phosphate ions in %	Potassium ions in %
Cow manure	0.4	0.5
Chicken manure pellets	2.5	2.3

Suggest **one** advantage and **one** disadvantage of using the chicken manure pellets compared to the cow manure.

[2 marks]

Advantage			
Disadvantage			

There are no questions printed on this page

09	Plants transport water and mineral ions from the roots to the leaves.	
09.1	<ul><li>Plants move mineral ions:</li><li>from a low concentration in the soil</li><li>to a high concentration in the root cells.</li></ul>	
	What process do plants use to move these minerals ions into root cells? Tick <b>one</b> box.	[1 mark]
	Active transportDiffusionEvaporationOsmosis	
09.2	Describe how water moves from roots to the leaves.	[2 marks]
	Question 9 continues on the next page	

Plants lose water through the stomata in the leaves.

The epidermis can be peeled from a leaf.

The stomata can be seen using a light microscope.

Table 5 shows the data a student collected from five areas on one leaf.

Leaf	Number of stomata		
area	Upper surface	Lower surface	
1	3	44	
2	0	41	
3	1	40	
4	5	42	
5	1 39		
Mean	2 X		

Та	bl	e	5
	~	<b>U</b>	~

**0 9 . 3** Describe how the student might have collected the data in **Table 5**.

[3 marks]

09.4	What is the median number of stomata on the upper surface of the leaf? [1	mark]
09.5	Calculate the value of <b>X</b> in <b>Table 5</b> .	
	Give your answer to 2 significant figures. [2 n	narks]
	Mean number of stomata on lower surface of leaf =	
09.6	The plant used in this investigation has very few stomata on the upper surface of the leaf.	
	Explain why this is an <b>advantage</b> to the plant. [2 n	narks]

## 1 0

Tobacco mosaic virus (TMV) is a disease affecting plants.

Figure 13 shows a leaf infected with TMV.

Yello	ow patches where
TM	/ has destroyed
chlo	roplasts



1 0 . 1		1	All tools should be washed in disinfectant after using them on plants infected with TMV.		
					Suggest why.

[1 mark]

1 0 . 2

Scientists produced a single plant that contained a TMV-resistant gene.

Suggest how scientists can use this plant to produce  ${\bf many}$  plants with the TMV-resistant gene.

[1 mark]

10.3	Some plants produce fruits which contain glucose.				
	Describe how you would test for the presence of glucose in fruit.	[2 marks]			
1 0 . 4	TMV can cause plants to produce less chlorophyll.				
	This causes leaf discoloration.				
	Explain why plants with TMV have stunted growth.	[4 marks]			
	Explain why plants with TMV have stunted growth.	[4 marks]			
	Explain why plants with TMV have stunted growth.	[4 marks]			
	Explain why plants with TMV have stunted growth.	[4 marks]			
	Explain why plants with TMV have stunted growth.	[4 marks]			
	Explain why plants with TMV have stunted growth.	[4 marks]			
	Explain why plants with TMV have stunted growth.	[4 marks]			

 1
 1

The human body has many ways of defending itself against microorganisms.

**1 1 . 1** Describe **two** ways the body prevents the entry of microorganisms.

[2 marks]

1			
2			

## **11**. **2** In 2014 the Ebola virus killed almost 8000 people in Africa.

Drug companies have developed a new drug to treat Ebola.

Explain what testing must be done before this new drug can be used to treat people. [6 marks]

**END OF QUESTIONS** 

#### There are no questions printed on this page

#### **Copyright information**

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements in future papers if notified. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright  $\ensuremath{\textcircled{O}}$  2016 AQA and its licensors. All rights reserved.

Figure 5: Cheek cell © Ed Reschke/Getty Images

Figure 6: Cheek cell © Ed Reschke/Getty Images

Figure 13: Leaf with TMV © Nigel Cattlin/Getty Images