

# Mark Scheme (Results)

## Summer 2012

International GCSE Mathematics (4MA0) Paper 2F

Level 1 / Level 2 Certificate in Mathematics (KMA0) Paper 2F



### **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at <u>www.edexcel.com</u>.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

### Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2012 Publications Code UG032634 All the material in this publication is copyright © Pearson Education Ltd 2012

### **General Marking Guidance**

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme.

Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.

- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- Types of mark
  - o M marks: method marks
  - A marks: accuracy marks
  - B marks: unconditional accuracy marks (independent of M marks)
- Abbreviations
  - cao correct answer only
  - ft follow through
  - $\circ$  isw ignore subsequent working
  - o SC special case
  - oe or equivalent (and appropriate)
  - dep dependent
  - indep independent
  - awrt anything which rounds to
  - eeoo each error or omission

### No working

If no working is shown then correct answers normally score full marks – the mark scheme will make it clear when this does not apply.

If no working is shown then incorrect (even though nearly correct) answers score no marks.

### • With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then the lower mark should be awarded, unless it is clear which method the candidate has chosen.

If there is no answer on the answer line then check the working for an answer.

### • Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

### • Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Question	Working	Answer	Mark	Notes
Number				

	s 20 and 22 (where the mark scheme states otherwise aken to imply a correct method.	) the co	rrect answer, unless clearly obtained by an incorrect
<b>1.</b> (a) (i)	1/4	2	B2 cao B1 for 3/12 or any fraction equivalent to 1/4
(ii)	(0).25	1	B1ft ft ai) if denominator = 12,6,4,3,or 2 (answer must be at least 2dp rounded or truncated.)
(b) (i)	any 2 triangles or 1 kite shaded	1	B1
(ii)	80	1	B1
			Total 5 marks

<b>2.</b> (a) (i)	Impossible	e 1	B1		
(ii)	Unlikel	/ 1	B1		
(iii)	Likel	/ 1	B1		
(b) (i)	Mark B at 0.	5 1	B1		
(ii)	Mark Y at 1cm < Y < 3 cm from 0 on original diagram		B1	i.e. less than <sup>1</sup> / <sub>4</sub> of line in from 0	
					Total 5 marks

<b>3.</b> (a)	9 and 17	2	B2	B1 for 9 only : B1 for 17 only	
				B1 for 9 and 17 + 1 extra	
(b)	9 and 16	2	B2	B1 for 9 only : B1 for 16 only	
				B1 for 9 and $16 + 1$ extra	
(c)	2 and 17	2	B2	B1 for 2 only : B1 for 17 only	
				B1 for 2 and $17 + 1$ extra	
					Total 6 marks

<b>4.</b> (i)	cm <sup>2</sup> or square cms	1	B1	(any recognisable spelling)	
(ii)	kg or kilograms	1	B1	(any recognisable spelling)	
(iii)	metres or m	1	B1	(any recognisable spelling)	
				Total	3 marks

Question Number	Working	Answer	Mark	Notes
<b>5.</b> (a)		(2,4)	1	B1 cao
(b)		(-1,3)	1	B1 cao
(c)		S plotted at 5, 3	1	B1 Accept X in place of S or rhombus in correct position
(d)	2 x 3 oe			M1
~ /		6	2	A1 SC B1 for 5 to 7 inclusive (but not 6) or 8
(e)		x = 2 oe	1	B1
				Total 6 marks
<b>6.</b> (a) (i)		(Pentagonal) prism	1	B1 Accept any prism. Do not accept pentagon
(ii)		7	1	B1
(iii)		15	1	B1
(b)		2	1	B1
				Total 4 marks
	•	· · · · · · · · · · · · · · · · · · ·		•
7.		1, 2, 4, 5, 10, 20	2	B2 cao B1 for any two or more correct - 1 mark for incorrect addition(s) ignore repetitions
				Total 2 marks

<b>8.</b> (a)	1 7 (X 2=) 3 4	1	B1 cad	)
(b)	Multiplying by 2 always ends with an even number	1	B1	Accept any idea that the list contains no even digits (or only odd digits)
				Total 2 marks

9.	(3 x 7.50) + (2 x 1.35) +1.20 (=26.4) 30 - "26.4"			M1 M1	3 correct "products" listed dep on 1 <sup>st</sup> M1	
		3.6(0)	3	A1	Accept 3.6	
						Total 3 marks

Question Workin	g Answe	r Mark	Notes
Number			

<b>10.</b> (a) (i)		62	1	B1
(ii)	()	fertically) opposite angles (are equal)	1	B1 ind Accept abbreviations if meaning is clear.
(b)		44	1	B1
(c)	360 - "74"			M1 "74" from 180 – (62 + 44)
		286	2	A1
				Total 5 marks

(ii)	3.1	1	B1	ft from b i) if b i) >2sf	Total 4 marks
(b) (i)	3.107(232506)	1	B1	4 sf at least needed	
(ii)	8.47	1	B1	ft from a i) if a i) $> 2dp$	
<b>11.</b> (a) (i)	8.4681	1	B1		

12.	Trian	gle drawn with correct intersecting		B2	Arcs intersect within overlay
	arcs f	From A (4cm) and B (10cm)			B1 for correct 4cm arc from A or 10 cm arc from B
			2		Accurate triangle with no arcs scores zero.
					Total 2 marks

<b>13.</b> (a)		8	1	B1	
(b) (i)		6rt oe	1	B1	Do not accept x signs
(ii)		8 <i>m</i> oe	1	B1	
(iii)		$2a^3$ oe	1	B1	
(c)	-8+15			M1	M1 for 4 x –2 and 5 x 3 or – 8 and 15
		7	2	A1	
					Total 6 marks

Question Number	Working	Answer	Mark	Notes
<b>14.</b> (a) (i) (ii)	160 ÷ 50 x 0.7 oe or 160 ÷ 50 x 700000	60:90 2:3	2	M1       any correct un-simplified ratio (e.g. 6:9 or 20:30 etc.)         A1       SC B1 for 3 : 2 or 1 : 1.5         NB. must be colon notation to gain marks (i.e not decimal points or fractions)         M2       M1 for 160 ÷ 50 (=3.2) or 50 ÷ 160 (=0.3125) or 0.7 ÷ 50 (=0.014) or 50 ÷ 0.7 (=71.42)
	12 . 4. 20	2.24	3	A1       Accept 2240000         Alt method         M1 $(150^\circ =) 0.7 \ge 3 (=2.1)$ M1 $(10^\circ =) 0.7 \div 5 (=0.14) + (``0.7 \ge 3")$ A1 $2.24$ Accept 2240000
(b)	$1.2 \div 4 \times 360$ oe	108°	2	M1 A1 Total 7 marks

<b>15.</b> (a)	reflection in line $x = 1$		B1 B1	must be a single transformation of for $x = 1$
	(rotation (90° {anticlockwise}) about $(1, 1)$	2	B1 B1	must be a single transformation
(b)	flag at $(4, -1)(5, -1)(6, -1)(5, -2)$	2	B2	B1 for correct orientation of flag, or triangle,
	or triangle at $(5, -1)(6, -1)(5, -2)$			but in wrong position
				Total 4 marks

Question Number	Working	Answer	Mark	Notes
16.	(12 x 18) + (8 x 16.5) (=348) "348" ÷ 20	17.4	4	M2M1 for $12 \times 18$ (=216) or $8 \times 16.5$ (=132)M1dep on at least 1 previous M1A1AltRatio methodM1: $12:8 = 3:2$ or $6:4$ M1: $18x3$ and $16.5x 2$ or $18 \times 6$ and $16.5 \times 4$ M1: $(18x3 + 16.5x 2) \div 5$ or $(18 \times 6 + 16.5 \times 4) \div 10$ A1: $17.4$ AltProportion methodM1 $60 \%$ boys and $40\%$ girls stated or impliedM2 $(0.6 \times 18) + (0.4 \times 16.5) (= 10.8 + 6.6)$ M1 for $0.6 \times 18$ or $0.4 \times 16.5$ A1 $17.4$
				SC B1 for 17.1 (from {(8 x 18) + (12 x 16.5)}÷20)
				Total 4 marks

<b>17.</b> (a) (i)		30	1	B1	
(ii)		21	1	B1	
(b)	Horizo	ntal line from (1400,39) to (1600,39) Line from ("1600", 39) to (1715, 0)	2	B1 B1ft	ft if line finishes at $(1715, 0) (\pm 5 \text{ mins})$ and starts at height 39km
(c)		13 25to 1330 1625 to 1630	2	B1 B1	Accept 1 25 <u>pm</u> to 1 30 <u>pm</u> Accept 4 25 <u>pm</u> to 4 30 <u>pm</u> or ft if line finishes at (17 15, 0) ( $\pm$ 5 mins) and starts at height 39 km
(d)	39 ÷ 1.25 oe (39 ÷ 75 x 60)	31.2	3	M2 A1	M1 for 39 ÷ 1.15 (= 33.9) or 39 ÷ 75 (=0.52)
					Total 9 marks

Question Number	Working	Answer	Mark	Notes
18.	7.92 ÷ 1.65			M1 for 7.92 or 1.65
		4.8	2	A1 Accept $\frac{24}{5}$
				Total 2 marks
<b>19.</b> (i)	10x + 5 - 9x + 3	x + 8	2	B2 B1 for 3 correct terms with correct signs
<b>19.</b> (1)	$10\lambda + J - 9\lambda + J$	$\chi + \delta$	2	or 4 correct terms ignoring signs
(ii)	$y^2 + 5y - 7y - 35$	$y^2 - 2y - 35$	2	B2 B1 for 3 correct terms with correct signs
				or 4 correct terms ignoring signs
				N.B. $-2y$ (with no more y terms) implies $+5y - 7y$
				Total 4 marks
<b>20.</b> (a)	4/5 x 15/7			M1 or $12a/15a \div 7a/15a$ (denominators the same and a
<b>20.</b> (a)	4/J X 1J/ /			multiple of 15)
		12/7 oe	2	A1 dep on M1. Improper fraction equivalent to 1 5/7 required produced directly from M1
(b)	21/4 - 5/3			M1 Correct improper fractions

		12// oe	2	AI dep on M1. Improper fraction equivalent to 1.5//
				required produced directly from M1
(b)	21/4 - 5/3			M1 Correct improper fractions
	63a/12a - 20a/12a			M1 Correct fractions with a common denominator a
				multiple of 12
		43/12 oe	3	A1 dep on M2 Improper fraction required.
				Alt method
				M1 (5) $3/12 - (1) 8/12$ (i.e. can ignore integer parts)
				M1 – 5/12
				A1 Improper fraction required or $4 - 5/12$ . Ans dep on M2.
				Alt method
				M1 (4) $5/4 - (1) 2/3$ (i.e. can ignore integer parts)
				M1 (4) $15/12 - (1) 8/12$ (i.e. can ignore integer parts)
				A1 $(3 +) 7/12$ or improper fraction Ans dep on M2
				NB: Follow one strand that gives most marks.
				Total 5 marks

Question Number	Working	Answer	Mark	Notes
21.	tan 72 or tan 18 selected $(MN=)$ 34 x tan 72	105	3	M1 M1 or $(MN=)$ 34 $\div$ tan 18 A1 104.64 awrt 105

22.	2a = -4 or $4b = 14$			M1 Correctly eliminate 1 variable:
				Accept $3(5-2b) + 2b = 1$ oe
		a = -2 $b = 3.5$	3	A1 A1 Ans dep on M1 Ans only or $T\&E = M0A0A0$
				Total 3 marks

23.	A product of 3 or more factors of 300 of which at least 2 are different primes (i.e. from 2, 3 or 5)			M1	e.g 2 x 3 x 50 (must multiply to 300) could be implied from a factor tree or division ladder
	All 5 correct prime factors & no extras (ignore 1's)	2, 2, 3, 5, 5 (with/without 1's) or $2^2 \times 3 \times 5^2 \times 1$ or $2^2 + 3 + 5^2$		M1	could be implied from a factor tree or division ladder
		2 x 2 x 3 x 5 x 5	3	A1	any order, do not accept inclusion of 1's accept • in place of x
					Total 3 marks

24.	(19  x1)(=19) + (8  x3)(=24) + (3  x5)(=24)	=15) + (1x 9) (=9)	67	3	<ul> <li>M2 for freq x all correct midpoint values correctly evaluated (condone omission of 4<sup>th</sup> interval) {do not have to see intention to add}</li> <li>if not M2 then M1 for freq x consistent point in each interval or M1 for 1 error in list of 19, 24, 15, (0), 9</li> <li>A1 isw if 67 calculated correctly. (2.16 = M2A1)</li> </ul>
					Total 3 marks

|--|

Total 3 marks

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467 Fax 01623 450481 Email <u>publication.orders@edexcel.com</u>

Order Code UG032634 Summer 2012

For more information on Edexcel qualifications, please visit our website  $\underbrace{www.edexcel.com}$ 

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE





