

Mark Scheme (Results)

Summer 2013

International GCSE Mathematics (4MAO) Paper 2FR

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2013
Publications Code UG036359
All the material in this publication is copyright
© Pearson Education Ltd 2013

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme.
- Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Types of mark

o M marks: method marks

o A marks: accuracy marks

B marks: unconditional accuracy marks (independent of M marks)

Abbreviations

- o awrt answers which round to......
- o cao correct answer only

- o ft follow through
- o isw ignore subsequent working
- o SC special case
- o oe or equivalent (and appropriate)
- o dep dependent
- o indep independent
- o eeoo each error or omission

No working

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

If there is no answer on the answer line then check the working for an obvious answer.

Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

• Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

Apart from Question 22 (where the mark scheme states otherwise) the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method.

	estion mber	Working	Answer	Mark		Notes
1	(a)		9012	1	B1	
	(b)(i)		2091 2109 2901	5	B1	
	(ii)	two thousan	d and ninety one		B1	Accept 2 for 'two' and 1 for 'one'. Condone omission of 'and'.
	(iii)		1902		B1	
	(iv)		2091 2109		B1	in either order
	(v)		693		B1	Accept -693
						Total 6 marks
2	(a)		12	1	B1	cao
	(b)		6	1	B1	cao
	(c)			1	В1	Condone spelling errors
	(d)		Egypt	ı	ы	for 2 complete symbol
	(u)		$\bowtie\bowtie$	1	B1	+ 1 incomplete symbol < ½
	(e)	20 ÷ 5 (4) or 3 × 20 (60)	_	2	M1	for 20 ÷ 5 (4) or 3 × 20 (60)
			12		A1	cao
						Total 6 marks
	() (!)	T		0	D4	
3	(a)(i)		chord	2	B1	
			segment		B1	
	(b)	clear attempt to	o draw a tangent	1	B1	
						Total 3 marks
4	(a)		8.35	1	B1	cao
	(b)		8.32	1	B1	cao
	(c)(i)	clear indication between 8.36 & 8.37	nearer 8.37 than 8.36	3	B1	

				,	
(ii)		hundredths		B1	Also accept $\frac{1}{100}$, 0.01,
					6 hundredths, $\frac{6}{100}$, 0.06
(iii)		8		B1	
					Total 5 marks
5 (a)		486	1	B1	cao
(b)		eg multiply by 3	1	B1	
					Total 2 marks
6 (a)		rhombus	1	B1	
(b)(48	2	B1	Accept 46-50 inc
(i	i)	acute		B1	
(c)	5.3×4 oe		2	M1	Accept 5.1 – 5.5 instead of 5.3
		21.2		A1	Accept 20.4 – 22
					Total 5 marks
7 (a)		78	1	B1	cao
(b)	$eg \frac{22}{100} \times 41, \frac{22}{100} \times 41000000$		2	M1	
		9		A1	Also accept 9.0, 9.02, 9 000 000, 9 020 000
(c)		0.06	1	B1	Accept .06
					Total 4 marks
				1	
8 (a)		7	1	B1	cao
(b)	3y = 1 - 7 or 3y = -6		2	M1	
		-2		A1	cao
					Total 3 marks
				1	
9 (a)		$\frac{1}{10}$	1	B1	

				ı			
	(b)		1	1	B1	Accept $\frac{10}{10}$ or $\frac{1}{1}$	Penalise only first
	(c)		$\frac{7}{10}$	2	M1	for fraction with	occurrence
			10			a denominator of	of incorrect
					A1	10	notation.
						for $\frac{7}{10}$	
	(d)		6 2			10	_
	(u)		$\frac{6}{10} + \frac{3}{10}$ oe	2	M1		
			9		A1		
			10		/ \ '	_	
						<u> </u>	otal 6 marks
10	(-)(:)		(4.5)		D1		
10	(a)(i)		(4, 5)	2	B1	cao	
	(ii)		(2, -1)		B1	cao	
	(b)(i)		x at (7, 4)	2	M1	Allow <u>+</u> 2 mm Condone omission of	of lahel
	(ii)		rectangle drawn		A1	dep on M1	JI IGDCI
	(c)		2	1	B1	· · [· ·	
	(d)		(3, 2)	2	B2	B1 for 3 B1 for 2	
						7	otal 7 marks
			-		l		
11		12 × 7		2	M1		
			84		A1	cao	
						7	otal 2 marks
			_				
12	(a)		27	1	B1	cao	
	(b)(i)		21.952	2	B1		
	(ii)		21.95		B1	ft from (i) if 3 or m	ore dp
	(c)(i)	83		3	M1	for 0.49 seen	
		0.49					
			169.3877551		A1	Accept 1 or more d	p rounded or
						truncated	

(ii)		170		B1	ft from (i) if 1	or more dp
	,		170				Total 6 marks
13		opposite angle is 109°		3	M1	May be stated or marked on diagram	Alternatively
		$\frac{360-2\times109}{2}$			M1		M2 for 180 – 109
			71		A1		
							Total 3 marks
14 (a)	6 × 2 + 5 × 3 or 12 + 15		2	M1	for correct sul	ostitution
			27		A1	cao	
(1	b)	$6 \times (-5 + 2)$ or 6×-3 or $-30 + 12$		2	M1		ostitution with × rect evaluation of
			-18		A1	cao	
							Total 4 marks
15 (a)	$\frac{12}{20}$		2	M1	for $\frac{12}{20}$ or $\frac{6}{10}$	
			$\frac{3}{5}$		A1	cao	
(b)	12:8 oe		2	M1		
			1.5 oe		A1		
							Total 4 marks
			<u>,</u>		1		
16			translation	2	B1	Also accept translated, translate etc	These marks are independent but award no marks if
		2 to the lef	t and 1 up or $\begin{pmatrix} -2\\1 \end{pmatrix}$		B1		the answer is not a single transformation Total 2 marks
							iulai Z IIIai KS

		<u> </u>				
17	(a)	$\frac{50}{2}$ or 25 or $\frac{51}{2}$ or 25.5		2	M1	
		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				
		or list of all scores				
			6		A1	cao
	h) (;)	$3 \times 2 + 4 \times 5 + 5 \times 14 + 6 \times 19 + 7$		3	M1	for sum of products
(I	b) (i)	× 10				condone 1 error
		or 6 + 20 + 70 + 114 + 70 or 280				
		"280" ÷ 50			M1	(dep) for division by 50
			5.6		A1	cao Also accept 6 if both method
						marks scored and 5 following 5.6
	(ii)		5	1	B1	ft from their (b)(i)
						Total 6 marks
18 (a)(i)	15		6	M1	M2 for
		$\frac{15}{100} \times 280$ or 42				85 200
		100				$\frac{85}{100} \times 280$
		280 - "42"			M1	dep
			238		A1	cao
	(ii)	24 100			M2	for 24 or 24 100
	(11)	$\frac{24}{0.15}$ or $24 \times \frac{100}{15}$			IVIZ	for $\frac{24}{0.15}$ or $24 \times \frac{100}{15}$
		0.15 15				
						M1 for $\frac{24}{15}$ or 1.6
			160		A1	cao
	(b)	2 + 3 or 5		3	M1	5 may be denominator of a
						fraction or coefficient in an
						equation such as
						5x = 320
		$\frac{320}{5}$ or 320 ÷ "5" or 64 or $\frac{7}{5}$ oe			M1	dep
		5 5 5 6 64 61 - 66 5				<u> </u>
			448		A1	Also award for 128 : 192 : 448
						Total 9 marks

19 (a)(i)	$\angle ABC = 68^{\circ} \text{ or } \angle BCD = 112^{\circ}$		4	M1	May be stated o diagram	r marked on
		68		A1	cao	
(ii)	360 - (67 + 112 + "68" + 74)			M1		
		39		A1	ft from their (a) Award 2 marks (ii) is 107 – ans	if the answer to
(b)	(5 - 2) × 180 or 3 × 180 or (2 × 5 - 4) × 90 or 6 × 90 or 360 + 180 or (180-67) + (180-112) + (180-"68") + (180-74) +		2	M1	Oznakana 4 izaza	
	(180-"39") or 113 + 68 + 112 + 106 + 141				Condone 1 incor angle	rect interior
	01 113 + 00 + 112 + 100 + 141	540		A1	Cao SC B1 for 108	
					3C B1 101 100	Total 6 marks
20 (i)		$-1 \le x < 3$	4	B2	B1 or either -1	
		1 4 7 7 7			x < 3 as a final	
(ii)		-1 0 1 2		B2	B1 for 4 correct	
					or for 3 correct	
						Total 4 marks
21	tan chosen		3	M1	for tan chosen	M1 for sin and
21			3	IVII		3.8
	$\frac{3.8}{5.2}$ or 0.7307			A1	for $\frac{3.8}{5.2}$	$\frac{3.8}{\sqrt{"41.48"}}$
					or 0.7307 oe	following correct Pythagoras and A1 for 0.5900
		36.2		A1	for answer roun	
						Total 3 marks
			•			

			correct collection and simplification of either numbers
			or correct collection and
		4	3x + 2x = 87 - 32
			y terms on one side and numbers on the other e.g
			for correct rearrangement with
			collection to 2 terms
			at least one side or for correct
	3x + 2x = 55		correct collection of terms on
	5x = 87 - 32 or		x terms on one side and numbers on the other AND
	5x = 55 or $5x - 55 = 0$ or		M2 for correct rearrangement with
22	3x + 32 = 87 - 2x		M1 for $3x + 32 = 87 - 2x$

		TOTAL: 100 MARKS

DI	17
, ,	vı ı

Further copies of this publication are available from Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467
Fax 01623 450481
Email <u>publication.orders@edexcel.com</u>
Order Code UG036359 Summer 2013

For more information on Edexcel qualifications, please visit our website www.edexcel.com

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE





