



Mark Scheme (Results)

January 2012

International GCSE Mathematics
(4MA0) Paper 3H

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our qualifications website at www.edexcel.com. For information about our BTEC qualifications, please call 0844 576 0026, or visit our website at www.btec.co.uk.

If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

Ask The Expert can be accessed online at the following link:

<http://www.edexcel.com/Aboutus/contact-us/>

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2012

Publications Code UG030747

All the material in this publication is copyright

© Pearson Education Ltd 2012

January 2012 International GCSE Mathematics (4MA0) Paper 3H Mark Scheme

Question	Working	Answer	Mark	Notes
1. (a)	7/32 x 100 oe	21.9	2	M1 A1 (21.875) accept awrt to 21.9
(b)	4/100 x 32 (=1.28) or 4/100 x 32000000 (=1280000) 32 + "1.28" or 32000000 + "1280000"	33	3	M1 M2 for 32 x 1.04 oe or 32000000 x 1.04 oe M1 (dep) A1 (33.28) accept 33.3, 33000000, 33300000, 33280000
				Total 5 marks
2.	2/5 x 30	12	2	M1 A1 12 out of 30 = M1A1 12/30 = M1A0
				Total 2 marks
3.	$\pi \times 7.5^2 \times 26$	4590	3	M2 M1 for $\pi \times 15^2 \times 26$ or 18369 \rightarrow 18386 inc A1 (4594.579....) accept answers 4592 \rightarrow 4597 inc
				Total 3 marks
4.	Arcs of length 6cm from A and B		4	M1
	Arc of length 10 cm from A or B			M1
	Arc of length 6 cm from correct top vertex			M1
	Correct rhombus within overlay tolerance			A1 Dependent on M3 sc B1 for correct rhombus with no construction lines.
				Total 4 marks
5. (a)		$a(5 - 3a)$	2	B2 B1 for factors which when expanded & simplified give 2 terms for which one is correct.
(b) (i)		$8 - 6w$	1	B1
(ii)		$y^3 + 10y^2$	2	B2 B1 for y^3 or $10y^2$
(c)	7.168 / 0.64	11.2	2	B2 B1 for 7.168 or 0.64
				Total 7 marks

6. (a) (i)		Does not study Maths No student studies (both) German and Maths Students who study German do not study Maths etc	1	B1	Accept general answers (e.g. no student belongs in both sets).
(ii)		(Preety) does not study French (Preety) is not a member of (set) F	1	B1	Accept she /he in place of Preety or omission of name. Penalise extra incorrect statements (e.g. Preety studies Maths and German but not French)
(b)		1,2,3,4	2	B2	B1 for any 3 correct with no repetitions or additions.
					Total 4 marks

7. (a)		9 to 11	1	B1	
(b) (i)	$(1 \times 3) + (4 \times 6) + (7 \times 10) + (10 \times 15) + (13 \times 5) + (16 \times 1)$ (=328) "328" \div ("3+6+10+15+5+1")	8.2	4	M2 M1 A1	All products, $t \times f$ using $\frac{1}{2}$ way points correctly, and intention to add. Award M1 if all products, $t \times f$ using their $\frac{1}{2}$ way points consistently, from 6 to 8 interval onwards and intention to add. (dep on one at least M1) Accept 8 with working. 8 without working = M0A0
(ii)		Mid-points used as actual data is unknown	1	B1	Mention of mid-points <u>or</u> exact (actual) data is unknown.
					Total 6 marks

8. (a)		$x/60$ oe	1	B1	Must be a fraction or $0.016 \text{ rec } x$
(b) (i)	$2("x/60") = (x+20)/80$ $16(0) x = 6(0)(x + 20)$ or $80 x = 30(x + 20)$ or $2x/3 = (x + 20)/4$		3	M2 A1	(must be an equation) M1 for either $2("x/60")$ or $(x+20)/80$ dep Correct removal of denominators. Correct removal of denominators. Simplifying denominators.
(ii)	$8x = 3x + 60$ or $5x = 60$ or $60 \div 5$	12	2	M1 A1	Dependent on M1. Can be marked if seen in b(i)
					Total 6 marks

9. (a)	Use of sine or $\frac{\sin x}{3.4} = \frac{\sin 90}{5.8}$ sin "x" = 3.4 / 5.8 (=0.586..)	35.9	3	M1 Sine must be selected for use. M1 A1 (35.888...)Use isw on awrt 35.9
(b) (i)		5.85	1	B1 accept 5.849 rec
(ii)		5.75	1	B1
				Total 5 marks

10.	6/100 x 7500 (=450) {1st Year} or 1.06 x 7500 (=7950) "450" + "477" + "505.62"	1432.62	3	M1 M2 for $1.06^3 \times 7500$ (=8932.62) M1 Calculating 6% of previous capital for another 2 years. A1 M1A0 for 1350 or 8850
				Total 3 marks

11.	$3y + 6x - 3 = x + 5y$ $5x - 3 = 2y$ oe	$(5x - 3)/2$	3	M1 Multiplying out brackets. M1 dep Correctly collecting like terms, (3 terms needed here). A1 oe
				Total 3 marks

12. (a)	6/9 x 12 oe	8	2	M1 e.g $12 \div 1.5$ A1
(b)	9/6 (or 12/"8") x 5	7.5	2	M1 A1 cao
(c)	$1.5^2 \times 32$ (=72) oe "72" - 32	40	3	M1 M1 for 1.5^2 or $(2/3)^2$ M1 dep A1
				Total 7 marks

13. (a) (i)		41°	2	B1
(ii)		Angles in same segment (are equal)	2	B1 Accept "from same chord", "on same arc".
(b) (i)		75°	2	B1
(ii)		Angle at centre/middle is not 2 x angle at circumference / edge / perimeter / arc or Angle PQT \neq QPT or PRS \neq RSQ (oe) or $34 \neq 41$	2	B1 Accept $75 \neq 2 \times 41$ or $75 \neq 2 \times 34$ or using idea of isosceles triangles but must mention angles.
				Total 4 marks

14. (a)	$y = 36 - x$	(Area =) $x(36 - x)$	3	M2 M1 for $x + y = 36$ oe or $2y = 72 - 2x$ A1 Must see x times $(36 - x)$ dep on M2
(b)		$(dA/dx) = 36 - 2x$	2	B1 B1 B1 for 36 B1 for $-2x$
(c)	“ $36 - 2x$ ” = 0 $x = 18$	(Area =) 324	3	M1 allow ft only on $a + bx$ ($a, b \neq 0$) A1ft A1ft
				Total 8 marks

15. (a)	$F = “k”/d^2$ $12 = k/2^2$ $k = 48$	$F = 48/d^2$	3	M1 $k =$ letter not number. M1 A1 Award 3 marks for $F = “k”/d^2$ and $k = 48$ stated anywhere, unless contradicted by later work.
(b)	$(F =) “48”/5^2$	1.92 oe	1	B1 ft $k \neq 1$ accept 48/25 as an answer.
(c)	$3 = “48”/d^2$ $d^2 = “48”/3$	4	2	$k \neq 1$ M1 Rearrangement to make d^2 or d the subject A1 ignore \pm
				Total 6 marks

16. (a)	10×3 or 15×2 or $12 \times 7.5/3$	30	2	M1 or any correct fd in correct position and no errors, or 1 sq = 2 (runners) indicated. A1
(b)	Missing blocks = 6cm, 10cm, 2cm		2	B2 3 correct blocks B1 1 or 2 correct blocks
(c)	$0.6 \times 20 + 0.8 \times “30”$ or $3 \times “4” + 8 \times “3”$ or 450×0.08	36	2	M1 (partitioning blocks) (time x fd’s) {must see clear evidence that fd values used}. 450 small squares. A1 cao
				Total 6 marks

17.	$x = 0.1777\dots$ and $10x = 1.777\dots$ $9x = 1.6$	$16/90$ oe		See at least 3 sevens or recurring symbol. Condone omission of x . M1 Accept $10x = 1.777\dots$ and $100x = 17.77\dots$ A1 Must be integers in numerator and denominator but not 8 & 45 N.B for $0.1777 = 1/10 + 0.0777\dots$ (0.777 needs to be shown to be $7/90$ to gain first M1)
				Total 2 marks

18.	$AOC = 70^\circ$ $"70"/360 \times \pi \times 9^2 (=49.48..)$ $0.5 \times 9^2 \times \sin "70" = (38.057..)$ 49.48.. or 38.057... "49.48.." – "38.057.."	11.4	6	B1 Could be marked on diagram. M1ft Area of sector. M1ft Area of triangle. Follow through angles must be the same. A1 Either area correct to 3 sf M1 dep on both previous M1's A1 (11.42253...) awrt 11.4
Total 6 marks				
19.	$(\sqrt{3} + 3\sqrt{3})/\sqrt{2}$ $4\sqrt{3}/\sqrt{2}$ $2\sqrt{6}$ or $(\sqrt{48}/\sqrt{2})$	24	3	M1 Must see $\sqrt{27}$ reduce to $3\sqrt{3}$ alternative $\frac{\sqrt{6} + \sqrt{54}}{2}$ (or better) M1 dep on 1st M1 A1cao dep on M2 Accept $\sqrt{24}$ if M2 awarded.
Total 3 marks				
20.	$\frac{4(2-x)+3x}{x(2-x)}$ oe $\frac{8-4x+3x}{x(2-x)}$	$\frac{8-x}{x(2-x)}$	3	M1 M1 A1 Accept $\frac{8-x}{2x-x^2}$ Single fraction needed as final answer.
Total 3 marks				

21. (a)	$0.5x[(x+5)+(x+8)] = 42$ (trapezium formula) or $x(x+5) + 0.5x \times 3 = 42$ (partitioning) $x(2x+13) = 84$ or $x^2 + 5x + 1.5x = 42$		2	M1 M1 dep on 1 st M1 then needs to develop on to quadratic given.
(b)	$(2x+21)(x-4) = 0$ oe $x = 4$ (P=) "4" + "9" + "12" + $\sqrt{3^2 + "4"}^2$	30	5	B2 B1 for either factor correct or $(2x \pm 21)(x \pm 4)$ or M1 for $x = \frac{-13 \pm \sqrt{13^2 - 4 \times 21 \times -84}}{4}$ (condone 1 sign error) then M1 for $x = \frac{-13 \pm \sqrt{169 + 672}}{4}$ A1 dep on M1 or B2 M1 i.e $x + (x+5) + (x+8) + \sqrt{3^2 + x^2}$ in numeric form. A1cao (Last two marks independent) N.B. Working for solving quadratic could be seen in (a) if not contradicted in (b).
				Total 7 marks

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467

Fax 01623 450481

Email publication.orders@edexcel.com

Order Code UG030747 January 2012

For more information on Edexcel qualifications, please visit
www.edexcel.com/quals

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual




Llywodraeth Cynulliad Cymru
Welsh Assembly Government

